

POPLIN (Y/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D POPLIN	40X40/120X70	57/58	110
100% CTN Y/D POPLIN	40X40/120X80	57/58	115
100% CTN Y/D POPLIN	40X40/110X70	57/58	105
100% CTN Y/D POPLIN	40X40/133X100	57/58	135
100% CTN Y/D POPLIN	50X50/144X76	57/58	105
100% CTN Y/D VOILE	60X60/90X88	57/58	75
100% CTN Y/D POPLIN	16X16/64X54	57/58	165

POPLIN (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN POPLIN S/D	40X40/133X100	57/58	135
100% CTN POPLIN S/D	40X40/133X72	57/58	120
100% CTN POPLIN S/D	50X50/144X76	57/58	105
100% CTN POPLIN S/D	32X32/130X70	57/58	140

T/C POPLIN (Y/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
T/C (65/35) Y/D POPLIN	45X45/120X70	57/58	105
T/C (65/35) Y/D POPLIN	45X45/110X70	57/58	100
T/C (65/35) Y/D POPLIN	45X45/130X70	57/58	110

STRETCH POPLIN (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98% CTN 2% SPX POPLIN S/D	40+40X40D/133X72	56/58	130
98% CTN 2% SPX POPLIN S/D	50X50+40D/140X80	56/58	110
98% CTN 2% SPX POPLIN S/D	32X32+40D/130X70	56/58	150

CVC POPLIN (Y/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
CVC Y/D POPLIN	45X45/120X70	57/58	103
CVC Y/D POPLIN	45X45/130X70	57/58	108
CVC Y/D POPLIN	45X45/110X70	57/58	95

CVC POPLIN (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
CVC POPLIN S/D	45X45/110X76	57/58	95
CVC POPLIN S/D	45X45/133X72	57/58	107

T/C POPLIN (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
T/C POPLIN S/D	45X45/110X76	57/58	97
T/C POPLIN S/D	45X45/133X72	57/58	107

PRINT POPLIN			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN PRINT POPLIN	40X40/133X72	57/58	120
100% CTN PRINT POPLIN	40X40/133X100	57/58	135

CVC PRINT POPLIN			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
CVC (55/45) PRINT POPLIN	45X45/110X76	57/58	95

FLANNEL (Y/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D FLANNEL	21X21/64X54	57/58	130
100% CTN Y/D FLANNEL	21X21/80X58	57/58	155
100% CTN Y/D FLANNEL	16X16/64X54	57/58	170

FLANNEL (PRINT)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN PRINT FLANNEL	20X10/40X42	57/58	165

OXFORD (Y/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D OXFORD	40+40X21/2/101X50	57/58	170
100% CTN Y/D OXFORD	40X32/2/100X50	57/58	130
100% CTN Y/D OXFORD	50X50/120X100	57/58	110

OXFORD CVC (Y/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
CVC Y/D OXFORD	4511X32/2/110X52	57/58	135
CVC Y/D OXFORD	4511X16/101X50	57/58	130

TWILL (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN TWILL S/D	128X60/20X16	57/58	235
100% CTN TWILL S/D	108X56/16X12	57/58	270
100% CTN TWILL S/D	72X42/10X10	57/58	300
100% CTN TWILL S/D	133X78/32X21	57/58	190
100% CTN TWILL S/D	143X112/40X40	57/58	145
100% CTN TWILL S/D	130X70/32X32	57/58	140

STRETCH TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98% CTN 2% SPX TWILL S/D	120X40/16X16+70D	56/58	230
98% CTN 2% SPX TWILL S/D	128X48/16X16+70D	56/58	270
98% CTN 2% SPX TWILL S/D	72X42/10X10+70	56/58	300
98% CTN 2%SPX TWILL S/D	72X42/10X70+70	56/58	340

98% CTN 2% SPX TWILL S/D	177X77/32X32+40	56/58	180
98% CTN 2% SPX TWILL S/D	145X54/20X16+70D	56/58	260

STRETCH SATIN TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98% CTN 2% SPX SATIN TWILL	190X80/32X32+40D	56/58	200
98% CTN 2% SPX SATIN TWILL	190X60/32X16+70D	56/58	260

CAMEO PRINT TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN CAMO PRINT TWILL	108X56/16X12	57/58	270
100% CTN CAMO PRINT TWILL	128X60/20X16	57/58	230

STRETCH SLAB TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98% CTN 2% SPX SLUB TWILL	10+9X12+70D/72X50	56/58	290
98% CTN 2% SPX SLUB TWILL	10+7.5X16+70D/84X48	56/58	300

STRETCH PRINT TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98% CTN 2% SPX PRINT TWILL	21X16+70D/152X50	56/58	260
98% CTN 2% SPX PRINT TWILL	16X16+70D/120X40	56/58	230
98% CTN 2% SPX PRINT TWILL	12X16+70D100X60	56/58	300

CVC TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
CVC TWILL S/D	108X56/16X12	57/58	260
CVC TWILL S/D	128X60/20X16	57/58	230
CVC TWILL S/D	108X58/21X21	57/58	190
CVC TWILL S/D	72X42/7X7	57/58	350

TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D TWILL	40X40/130X100	57/58	125
100% CTN Y/D TWILL	20X30/132X90	57/58	215

T/C TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
T/C TWILL S/D	128X60/20X16	57/58	230
T/C TWILL S/D	108X56/16X12	57/58	265
T/C TWILL S/D	108X58/21X21	57/58	185

HERRINGBONE TWILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D H/B TWILL	21X21/70X60	57/58	140

CORDUROY (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN 21 W CORD S/D	40X40/177X77	57/58	140
100% CTN 16 W CORD S/D	16X21/44X134	57/58	210
100% CTN 14 W CORD S/D	16X16/72X128	57/58	280
100% CTN 11 W CORD S/D	16X12/64X128	57/58	290
100% CTN 8 W CORD S/D	16X12/64X128	57/58	300

STRETCH CORDUROY (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98% CTN 2% SPX 21W CORD	16X21+70D/51X134	56/58	260
98% CTN 2%SPX 16W CORD	16X16+70D/44X134	56/58	280
98% CTN 2% SPX 14W CORD	16X16+70D/44X134	56/58	300

CANVAS (S/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN CANVAS S/D	10X10/72X42	57/58	265
100% CTN CANVAS S/D	32/2X16/96X48	57/58	200
100% CTN PANAMA CANVAS	21+21X10+10/120X54	57/58	255

NYLON			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
70% CTN 30% NYLION S/D	21X140D/110X66	57/58	265
70% CTN 30% NYLON S/D	70DX21/133X72	57/58	125
70% CTN 30% NYLON	32X100D/133X86	57/58	135
70% CTN 30% NYLON	70X16/110X76	57/58	130

COLOR DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN COLOR DENIM	10X10/80X46	58/60	100Z
100% CTN COLOR DENIM	10X7/78X49	58/60	120Z

COTTON RING DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN RING DENIM	10X8X10/76X43	58/60	100Z
100% CTN RING DENIM	10+8X16/72X44	58/60	80Z
100% CTN RING DENIM	10+8X7/76X46	58/60	110Z
100% CTN RING DENIM	10+8X6/72X42	58/60	120Z

COTTON CROSS DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN CROSS DENIM	10+7X10+7/72X42	58/60	100Z
100% CTN CROSS DENIM	7+8X7+8/72X44	58/60	120Z
100% CTN CROSS DENIM	7+6X7+6/72X44	58/60	13.50Z

NORMAL DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN NORMAL DENIM	32X32/130X70	58/60	6.50Z
100% CTN NORMAL DENIM	12X12/78X46	58/60	80Z
100% CTN NORMAL DENIM	10X10/78X46	58/60	100Z
100% CTN NORMAL DENIM	10X7/80X40	58/60	110Z
100% CTN NORMAL DENIM	7X10/72X42	58/60	120Z

RING DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
70%CTN 30% POLY RING DENIM	10+8RSBX600D	58/60	10.50Z
70% CTN 30% POLY RING DENIM	10+8RSBX600D	58/60	90Z
78%CTN 20%POLY 2% SPX RING	12+7X200D+40D	58/60	90Z
CTN /POLY/ SPX RING DENIM	10+7X450D+70D	58/60	11.50Z

STRETCH RING DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98%CTN 2% SPX RING DENIM	10+8X16+70D	56/58	100Z
98% CTN 2% SPX RING DENIM	10+8X12+70D	56/58	120Z

STRETCH NORMAL DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
98%CTN 2% SPX NORMAL DENIM	12X12+70D	56/58	80Z
98% CTN 2% SPX NORMAL DENIM	10X10+70D	56/58	100Z
98% CTN 2% SPX NORMA DENIM	10X7+70D	56/58	120Z

COTTON STRIPE DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN STRIOE DENIM	10X10/86X46	58/60	100Z
100% CTN STRIOE DENIM	10X7/72X44	57/58	120Z

PRINT DENIM			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
72%CTN27%POLY1%SPX PRINT DENIM	10+9.5RSBX200D+70D	55/56	325
CTN/POLY/SPX/PRINT DENIM		55/56	300
SHEETING			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN SHEETING S/D	20X20/60X60	57/58	130
100% CTN SHEETING S/D	30X30/68X68	57/58	140

POLYESTER TAFFETA			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% POLY TAFFET S/D	190T	57/58	50
100% POLY TAFFETA	210T	57/58	55

100%POLY TAFFETA S/D	260T	57/58	60
----------------------	------	-------	----

POLYESTER MICRO			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% POLYESTER MICRO S/D	75D150D/147X94	57/58	120
100% POLY MICRO PLAIN WEAVE	75X150D	57/58	100
100% POLY PRINT MICRO	75D150D/147X94	57/58	120

POLYESTER TRI CORD			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% POLY TRICORD		57/58	150
100% POLY TRICORD		57/58	200

POLYESTER PLAIN WEAVE			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100%POLY PLAIN WEAVE	300DX300D/56X51	57/58	165
100%POLY TWILL WEAVE	150DX150D/104X71	57/58	

POLYESTER CHIFFON PRINT			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% POLY CHIFFON PRINT	100DX100D	57/58	70
100%POLY CHIFFON PRINT	100DX100D	57/58	65

CHAMBRAY			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D CHAMBRAY	21X21/68X58	57/58	150
100% CTN Y/D CHAMBRAY	60X60/90X88	57/58	70
100% CTN Y/D CHAMBRAY	40X40/120X80	57/58	140

LINEN			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% LINEN	14X14/54X54	53X54	150
55% LINEN 45% CTN	15X15/54X52	53/54	142
55% LINEN 45% CTN	11X11/51X47	53/54	180

DOUBLE LAYER			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D DOUBLE LAYER	40X40/130X80	57/58	145
100% CTN Y/D DOUBLE LAYER	40X40/120X80	57/58	105

RIBS TOP			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN RIBS TOP	40X40/150X80	57/58	137
100% CTN RIBS TOP	21X21/108X56	57/58	195

100% POLYESTER Y/D	125DX150D/133X72	57/58	145
100% CTN VOILE S/D	60X60/90X88	57/58	70
100% CTN PRINT VOILE	60X60/90X88	57/58	72

CORDUROY			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
T/C 16 W CORD (RFD)	16X16+300D/68X114	57/58	250
T/C 14 W CORD	16X16+300D	57/58	300

CANVAS			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
T/C CANVAS S/D	21X21/100X50	57/58	175

CVC BEDFORD CORD			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
CVC BEDFORD CORD S/D	12X12/78X60	57/58	275

DOBBY			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D DOBBY	40X40/120X70	57/58	107
100% CTN Y/D DOBBY	40X40/130X70	57/58	118
100% CTN Y/D DOBBY	40X40/144X70	57/58	125

FIL-A-FILL			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
T/C Y/D FIL-A-FIL	45X45/120X70	57/58	100
T/C Y/D FIL-A-FIL	45X45/110X70	57/58	95
T/C Y/D FIL-A-FIL	45X45/130X70	57/58	105
100% CTN Y/D FIL-A-FIL	40X40/120X70	57/58	108
100% CTN Y/D FIL-A- FL	40X40/110X70	57/58	100
100% CTN Y/D FIL-A-FIL	40X40/120X80	57/58	115

T/R BENGALINE			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
T/R BANGALINE	150D+40DX10	57/58	240
90%POLY 6% VISCOS 4%SPX T/R	150D+40DX10	57/58	150

COTTON SEERSUCKER (Y/D)			
FABRICATION	CONSTRUCTION	WIDTH	WEIGHT
100% CTN Y/D SEERSUKER	40X40X40/120X80	57/58	120